KDHE Bureau of Air Compliance and Enforcement Section

CAAAG UPDATE - SFY2016

Javier Ahumada





Section Organization

We have three new employees within the section:

- Environmental Specialist
 - Works with district and local inspectors
- Environmental Specialist
 - Performance test observer
- Environmental Compliance/Regulatory Specialist
 - RATAs and asbestos inspections







Smith,Vivien

BAR - Air Compliance and Enforcement
Environmental Specialist

Brunetti,Sophia BAR - Air Permits Administrative Assistant

Gustafson, Christina
BAR - Air Compliance and Enforcement
Env Compliance/Regulatory Spec

Prue,Allyson BAR - Air Compliance and Enforcement Environmental Specialist

Schlaman,Philip BAR - Air Compliance and Enforcement Env Compliance/Regulatory Spec



Inspection Totals – SFY 2016

Total of 1585 inspections across the 6 districts and 3 locals



Inspection Totals – SFY 2016

Total of 1585 inspections across the 6 districts and 3 locals

There were 53 violations found during these inspections that warranted an NON or higher.



Inspection Totals – SFY 2016

Total of 1585 inspections across the 6 districts and 3 locals

There were 53 violations found during these inspections that warranted an NON or higher.

Approximately 3% warranted an NON or higher.



Formal Enforcement Action is a consent agreement (CAO) or administrative order (AO).



Formal Enforcement Action is a consent agreement (CAO) or administrative order (AO).

In SFY 2016, there were 12 CAOs executed.



Formal Enforcement Action is a consent agreement (CAO) or administrative order (AO).

In SFY 2016, there were 12 CAOs executed.

There were no AOs executed.



Formal Enforcement Action is a consent agreement (CAO) or administrative order (AO).

In SFY 2016, there were 12 CAOs executed.

There were no AOs executed.

There was 1 asbestos action that went to hearing and was upheld.



Performance Testing – SFY 2016

There were 165 performance tests conducted in Kansas.



Performance Testing – SFY 2016

There were 165 performance tests conducted in Kansas.

• Of this total, 58 involved RICE testing.



Performance Testing – SFY 2016

There were 165 performance tests conducted in Kansas.

Of this total, 58 involved RICE testing.

There were 51 Relative Accuracy Test Audits conducted in Kansas.



EPA State Review Framework

ACES underwent our EPA SRF audit in 2015.

EPA staff checked our records and performance based on a set series of metrics.

Proud to report that Kansas ACES scored highly and the audit was positive!

The next audit will be in five years.





The BOA is working with a software vendor to replace our existing database program, I-Steps, with a new system compliant with ICIS-Air.

• I-Steps is 20+ years old; based on outdated Oracle infrastructure



- I-Steps is 20+ years old; based on outdated Oracle infrastructure
- EPA retired AFS and replaced with ICIS-Air; I-Steps not compatible



- I-Steps is 20+ years old; based on outdated Oracle infrastructure
- EPA retired AFS and replaced with ICIS-Air; I-Steps not compatible
 - Results in double entry; loss of efficiency



- I-Steps is 20+ years old; based on outdated Oracle infrastructure
- EPA retired AFS and replaced with ICIS-Air; I-Steps not compatible
 - Results in double entry; loss of efficiency
- New system will also consolidate six different Access/Excel databases



- I-Steps is 20+ years old; based on outdated Oracle infrastructure
- EPA retired AFS and replaced with ICIS-Air; I-Steps not compatible
 - Results in double entry; loss of efficiency
- New system will also consolidate six different Access/Excel databases
- Funding expected from two sources:



- I-Steps is 20+ years old; based on outdated Oracle infrastructure
- EPA retired AFS and replaced with ICIS-Air; I-Steps not compatible
 - Results in double entry; loss of efficiency
- New system will also consolidate six different Access/Excel databases
- Funding expected from two sources:
 - 2014 EPA Exchange Network Grant



- I-Steps is 20+ years old; based on outdated Oracle infrastructure
- EPA retired AFS and replaced with ICIS-Air; I-Steps not compatible
 - Results in double entry; loss of efficiency
- New system will also consolidate six different Access/Excel databases
- Funding expected from two sources:
 - 2014 EPA Exchange Network Grant
 - Kansas Air Quality Fee and Fines Fund



Contact Information

Javier Ahumada
Chief, Compliance and Enforcement Section
Bureau of Air - KDHE
1000 SW Jackson, Suite 310
Topeka, KS 66612
(785) 296-0243

